

Paul

Ft Meade, MD

10:00

16 Feb 85

Fred

AdL Break  
amount events  
in news

the critical location is perceptible.



A. under rising  
angle  
solid


B. structure

3-2

light tan  
dusty  
dirty  
dry

AdL Blk  
adobe but

the critical location is perceptible




- a. across flat  
valley
- b. ground
- c. upwind <sup>across</sup> angle of  
structures

5. 2  
1. id + yellow  
pinkish  
fetid smell  
gravelly  
scrapping sound  
dry  
animal noise  
relatively low  
quadrangular  
flat toped  
different level  
rambling  
AI B1E strange feelings

for B1E  
animal  
noise







## Interior Summary

area is dry, gravelly, has several bldgs, which are to light yellow, tan, or reddish. Low, rectangular, flat roofed relatively low corr, with flat tops, different levels, rambling

Avi Rock  
more rounded  
part of nogales  
Naco, AZ.

Avi Rock  
facade

Cont of interest is a building that has two levels or stages, one on top of the other, but smaller in extent. Other bldgs group around it, & there seems to be no connects




✓ → ←

break

resume 10:25


Approved For Release 2001/04/02 : CIA-RDP96-00788R001900750010-0


border, in No. Mexico desert Sonora



Approved For Release 2001/04/02 : CIA-RDP96-00788R001900750010-0







Predominantly visible  
structure/water tank

